



HAL
open science

Foam properties of sugar-based surfactants: a comparative study

Rémy Bois, Alla Nesterenko, Audrey Drelich, Elisabeth van Hecke, Isabelle Pezron

► To cite this version:

Rémy Bois, Alla Nesterenko, Audrey Drelich, Elisabeth van Hecke, Isabelle Pezron. Foam properties of sugar-based surfactants: a comparative study. EUFOAM, Jul 2018, Liège, Belgium. hal-04387926

HAL Id: hal-04387926

<https://hal.utc.fr/hal-04387926>

Submitted on 11 Jan 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Foam properties of sugar-based surfactants: a comparative study

R.Bois¹, A.Nesterenko¹, A.Drelich¹, E.van-Hecke¹ and I.Pezron¹

¹Sorbonne Universités, Université de Technologie de Compiègne EA 4297 TIMR

E-mail : remy.bois@utc.fr

Foams are widely present in many fields of the industry: cosmetics, detergency, food products, or enhanced oil recovery. Since several years, environmental issues and use of eco-friendly products have been a major concern. Thus, there is a growing interest in developing sugar-based surfactants with well-controlled functional properties. Among them, foaming properties can be desired or undesired, depending on the end-use application.

However, many different foam generation processes exist and have been used to characterize surfactant foaming ability. In order to better compare the effect of structure variations on surfactant foaming properties, it is crucial to collect a large number of data using the same foaming technic and experimental procedure (A.Patist, et al, 2002. *Int.J.Cosmet.Sci.*, **2**, 45-51).

This work therefore aims at better understanding the mechanisms of foam formation and ageing of a series of commercial sugar-based surfactants bearing various hydrocarbon chain lengths (from 6 to 12 carbon) and polar head groups derived from glucose, maltose and galactose. The foam generation process used is by injecting a gas through a porous glass frit (Foamscan®, Teclis). Experimental parameters (surfactant concentration, disc porosity, gas flow rate, etc ...) have been optimized to ensure the best discrimination of surfactant foaming properties. An example illustrating results obtained for a series of alkylglucoside and alkylmaltoside is presented in Figure 1.




Figure 1. Influence of chain length on foam properties for (a) alkyl-β-Glucosides and (b) alkyl-β-Maltosides

Results show different effects of the alkyl chain length depending on the nature of the polar group. Interfacial properties of the surfactants have been studied in dynamic conditions (dynamic surface tension and surface viscoelasticity) as it plays a major role in foam ageing as evidenced from literature data (S.Tcholakova et al., 2011, *Langmuir*, **27**, 14807-14819; D.Georgieva, et al, 2009, *Soft Matter* **5**, 2063-2071.). Relationships and global trends will be presented to provide better knowledge of foam properties of sugar-based surfactants.

This work has been performed, in partnership with the SAS PIVERT, within the frame of the French Institute for the Energy Transition P.I.V.E.R.T. (www.institut-pivert.com) selected as an Investments for the Future. This work was supported, as part of the Investments for the Future, by the French Government under the reference ANR-001-01.